












AKALDO

Alüminyum Sanayi Tic. A.Ş.


HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ

**web: www.akaldo.com
email: pazarlama@akaldo.com**


**9427**
0.121 kg/m**9322**
0.156 kg/m**10536**
0.124 kg/m**5191**
0.117 kg/m**10108**
0.138 kg/m**5381**
0.107 kg/m**4721**
0.154 kg/m**5267**
0.120 kg/m**6124**
0.168 kg/m**10-2722**
0.157 kg/m**10-2723**
0.127 kg/m

HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ


AKALDO
Alüminyum Sanayi Tic. A.Ş.




5305
0.137 kg/m




5306
0.127 kg/m




10-2716
0.114 kg/m




9929
0.147 kg/m




10-2721
0.176 kg/m




5185
0.105 kg/m




4999
0.116 kg/m




10-2710
0.148 kg/m




5000
0.130 kg/m



5148
0.157 kg/m




5088
0.207 kg/m




5089
0.128 kg/m


Not: Katalog ağırlıklar teorik ağırlıklardır. Üzerine kalıp aşınmasından dolayı %3-%5 boya farkından dolayı %4-%6 ağırlık ilave edilecektir.




6505
0.147 kg/m




5400
0.106 kg/m




10-2702
0.138 kg/m




5284
0.215 kg/m




9806
0.111 kg/m




5181
0.092 kg/m




10167
0.190 kg/m




5433
0.109 kg/m




5184
0.132 kg/m



5530
0.087 kg/m




5104
0.160 kg/m




1706
0.117 kg/m

HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ


AKALDO
Alüminyum Sanayi Tic. A.Ş.




3877
0.135 kg/m




3928
0.133 kg/m




3876
0.169 kg/m




3852
0.089 kg/m




3853
0.043 kg/m




3875
0.134 kg/m




3866
0.100 kg/m




3867
0.120 kg/m




10-2715
0.175 kg/m




10-2714
0.202 kg/m




5149
0.134 kg/m



5282
0.286 kg/m















10-2713
0.127 kg/m



10-2712
0.186 kg/m


Not: Katalog ağırlıkları teorik ağırlıklardır. Üzerine kalıp aşınmasından dolayı %3-%5 boya farkından dolayı %4-%6 ağırlık ilave edilecektir.

**10-2726**
0.177 kg/m**6125**
0.118 kg/m**7351**
0.204 kg/m**3883**
0.181 kg/m**4983**
0.203 kg/m**4712**
0.160 kg/m**5086**
0.240 kg/m**6126**
0.160 kg/m**10-2708**
0.230 kg/m**10-2707**
0.161 kg/m**10-2703**
0.156 kg/m**10-2724**
0.170 kg/m


HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ

AKALDO


Alüminyum Sanayi Tic. A.Ş.




5559
0.244 kg/m




5285
0.097 kg/m




5595
0.122 kg/m




5575
0.107 kg/m




5320
0.115 kg/m




5321
0.110 kg/m




9007
0.204 kg/m




6428
0.201 kg/m




11027
0.271 kg/m



10-2736
0.164 kg/m




10-2709
0.174 kg/m




10-2718
0.136 kg/m


Not: Katalog ağırlıkları teorik ağırlıklardır. Üzerine kalıp aşınmasından dolayı %3-%5 boya farkından dolayı %4-%6 ağırlık ilave edilecektir.




5085
0.142 kg/m




5188
0.143 kg/m




4995
0.153 kg/m




5087
0.344 kg/m




10-2704
0.138 kg/m




10-2717
0.109 kg/m




5268
0.224 kg/m




5192
0.209 kg/m




4996
0.126 kg/m



5186
0.148 kg/m



5888
0.347 kg/m




9068
0.218 kg/m


HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ

AKALDO
Alüminyum Sanayi Tic. A.Ş.


Not: Katalog ağırlıklar teorik ağırlıklardır. Üzerine kalıp aşınmasından dolayı %3-%5 boya farkından dolayı %4-%6 ağırlık ilave edilecektir.




5216
0.119 kg/m




6324
0.097 kg/m




5193
0.177 kg/m




10-2734
0.173 kg/m




4997
0.116 kg/m




10-2719
0.113 kg/m




6977
0.394 kg/m




6323
0.137 kg/m










11163
0.321 kg/m



4201
0.312 kg/m




4113
0.136 kg/m




HALI BASAMAK VE LAMİNAT PARKE PROFİLLERİ


AKALDO
Alüminyum Sanayi Tic. A.Ş.




5187
0.259 kg/m




5090
0.312 kg/m




10-2730
0.127 kg/m




4998
0.106 kg/m




10-2720
0.111 kg/m




3235
0.173 kg/m



10448
0.291 kg/m











10919
0.199 kg/m



10920
0.312 kg/m

Not: Katalog ağırlıkları teorik ağırlıklardır. Üzerine kalıp aşınmasından dolayı %3-%5 boya farkından dolayı %4-%6 ağırlık ilave edilecektir.

**10986**
0.194 kg/m**10987**
0.313 kg/m**11051**
0.163 kg/m**11050**
0.351 kg/m**5380**
0.272 kg/m**5379**
0.190 kg/m**5169**
0.279 kg/m**11162**
0.137 kg/m